



Multi Channel Yokogawa Instruments 4 Wire Analyzer FLXA402-A-B-AB-C5-NN-A2-NR-N-R-N-NN

Our Product Introduction

for more products please visit us on achieversinstruments.com

Basic Information

- Brand Name: Yokogawa
- Certification: ATEX
- Model Number: FLXA402-A-B-AB-C5-NN-A2-NR-N-R-N-NN
- Minimum Order Quantity: 1
- Price: Negotiate
- Packaging Details: carton
- Delivery Time: stock
- Payment Terms: T/T
- Supply Ability: 100pcs per month



Product Specification

- Manufacture: Yokogawa
- Model: FLXA402-A-B-AB-C5-NN-A2-NR-N-R-N-NN
- Power Supply: -A - AC Version
- 2nd Input: -NN - Without Input
- Warranty: 1 Year
- Shipping Weight: 4 Kg
- Highlight: **Multi Channel Yokogawa Instruments, FLXA402, ISC 4 wire analyzer**



More Images



Product Description

Yokogawa Multi Channel 4-Wire Analyzer FLXA402-A-B-AB-C5-NN-A2-NR-N-R-N-NN

The FLXA402 offers multiple connection possibilities, eliminating the need for multiple analyzers and providing greater flexibility. This four-wire analyzer includes a color HMI and an easy touchscreen operation with a simple menu structure in 9 languages for simple and efficient setup and configuration.

With its modular design, the FLXA402 analyzer offers a range of measurement choices with the respective sensor module, including pH/ORP, resistivity/conductivity (SC), inductive conductivity (ISC), percent concentration, dissolved oxygen (DO), and 4-20mA input. Dual sensor measurements offer additional functionalities, such as a calculated data function that can be customized.

Specifications

Product Type : Multi Channel 4-Wire Analyzer

Model : FLXA402 - 4-Wire Converter

Power supply : -A - AC version

Housing : -B - Aluminum alloy cast + urethane coating

Type : -AB - General purpose for CE, RCM, China standard

1st input : -C5 - Inductive conductivity (ISC)

2nd input : -NN - Without input

mA Output/Input : -A2 - 2 x 4-20 mA Output + 1 x Contact Input (mA1 output: with HART)

Contact Outputs : -WR - Contact outputs (Wash and Fail contact outputs)

Bluetooth : -N - Without Bluetooth

Digital Communication : -N - Without Digital communication

Country : -N - Global except Japan

-NN : Always -NN

Option :

Mounting hardware : /PM - Panel mounting hardware



AAT145-S00	EB501-50	SC42-SP34
ACCC01	F9342LP-05	SC4AJ-S-AD-09-002-05-T1
ACM12	F9802JB	SCP451-51
ACM12	FLXA21-D-P-D-AB-C1-NN-A-N-LA-N-NN-U	SDV144-S63
ADM11c	FLXA402-A-B-AB-C1-NN-A2-NR-N-R-N-NN	SDV541
ADM12	FLXA402-A-B-AB-C5-NN-A2-NR-N-R-N-NN	SDV541-S33
ADM52C	FU20-10-T1-NPT	SR20-AC22
ADV151-P00	FU20-VP-T1-FTS/NTI	SR20-AP26
ADV151-P50/D5A00	GCRV-GBCRSCNN3700	UM33A-000-10-LP
ADV151-P63	HHR-21AHF2A1	UM33A-000-11
ADV151-P63/D5A00	ISC40G-TG-T1-10	UM33A-000-11-LP
ADV159-P00	K9034DN	UP55A-000-10-00
ADV551	K9142TH	UP55A-000-11-00
ADV551-P50/D5A00	K9142TK	UT130-RN-AL
ADV551-P63	K9142TN	UT32A-000-11-00
AED5D-00	K9192QA	UT55A-000-10-00
AIP601	K9192TG	UT55A-001-10-00
AIP826	K9194TA	UT55A-040-11-00
AIP827-2	K9194XA	VF701
AIP830-101	K9402VG	VJA1-016-AANO
AIP830-101-EIM-VESA	K9409AW	VJA1-027-AA60
AKB331-M020	K9802MA	VJH1-026-AAA0
ALE111-S50	K9804JA	WU10-V-S-05
ALE111-S51	L9819AC	YCB138
ALR121-S00	M1234SE-A	YS110-001